



An Roinn Talmhaíochta,
Bia agus Mara
Department of Agriculture,
Food and the Marine

Published 30th September 2024

Bluetongue Virus Update

30th September 2024


National Disease Control Centre
Number 8 of 2024



Bluetongue virus serotype 3 (BTV-3) has now been confirmed on 107 premises across England since 26th August 2024

- The Department for Environment Food & Rural affairs (DEFRA) in Great Britain has extended BTV restriction zones. The restricted zone now extends along the whole of the east of England, and includes *Suffolk, Essex, Norfolk, Yorkshire, Lincolnshire, Cambridgeshire, Bedfordshire, Hertfordshire, Greater London, Surrey and West Sussex* [Bluetongue: news, information and guidance for livestock keepers - GOV.UK \(www.gov.uk\)](#)
- Two cases of BTV-3 have been detected outside this restriction zone: in Bath, North East Somerset and in [Gwynedd](#) in northwest Wales. The animals had moved to the premises from areas where disease is now known to be circulating, but prior to bluetongue restrictions being in place. The premises are under restriction and the infected animals have been culled.

Figure 1 detailing the bluetongue Restricted Zone in England (as of 30/09/2024) map available at [APHA Interactive Bluetongue Virus Map \(arcgis.com\)](#)



Movements of live animals and germinal products into Ireland:

The import of live ruminants from Great Britain (GB) to Ireland (IE) remain suspended. Germinal products (semen, ova, embryos) may be imported from GB into Ireland once the relevant animal health requirements for bluetongue virus can be certified.

The introduction of livestock from other EU member states is permitted only where detailed certification requirements to safeguard against bluetongue can be satisfied. The bluetongue disease situation in Europe is dynamic and **there is a real risk of bluetongue virus entry into Ireland**. If you are considering purchasing livestock from Europe, there is a risk that animals may not meet certification requirements for entry to Ireland due to disease outbreaks. Importing semen or embryos from affected countries is not without risk.

NOTE: The Department will not pay compensation for animals infected by imported germinal products, nor for imported animals which subsequently test positive for bluetongue in the post-entry sampling.

Vaccination against BTV-3 now approved in GB and EU member states

- Vaccination for BTV-3 has been **authorised as an emergency measure** in countries where BTV-3 is circulating. These vaccines have not yet obtained European Marketing Authorisation, nor have they determined an immunity period guaranteed in the specifications of the vaccine.
- As a result, **animals vaccinated with the BTV-3 vaccines as part of emergency use do not currently meet the certification requirements** and cannot be certified by EU member states to allow intra EU movement, including movement to Ireland.
- Vaccination for BTV-3 has now been authorised as an emergency measure in some countries including The Netherlands, Germany, Belgium, France, Luxembourg and most recently Great Britain.
- Unlike some of the authorised BTV vaccines for other BTV serotypes, the BTV-3 vaccines can help reduce the levels of infection and the severity of clinical signs but may not prevent animals from becoming infected or ill.
- Licenced vaccines are commercially available for Bluetongue serotypes 1, 4 and 8 which can help to facilitate intra-EU movement. Animals from certain countries require vaccination against Bluetongue to meet certification requirements, prior to movement. Proof of vaccination status for the BTV strains recently circulating in those countries/regions should be obtained.

DAFM urges livestock keepers to be vigilant as the spread of disease to new regions of Europe and Great Britain increases infection pressure and risk of bluetongue transmission to Ireland

- Bluetongue is a notifiable exotic disease, caused by bluetongue virus (BTV), that infects ruminant animals (such as sheep, cattle, goats and deer) and camelids (such as llama and alpaca).
- There are different strains of BTV. BTV-3 is the strain currently of most concern, as it is spreading rapidly across North-Western Europe, and now this new case has been found in England.
- Due to the ongoing dynamic situation with BTV-3 and the possibility of rapid disease spread, **importers of livestock** from mainland Europe must be aware of **risks** to their business. If they purchase livestock in a European country, there is a real risk that by the time they attempt to ship the animals to Ireland, that area may be affected by bluetongue and **the animals may not then meet the certification requirements for entry to Ireland.**
- **Bluetongue does not affect human health or food safety. However, if bluetongue entered Ireland, it would have a significant impact on animal welfare and trade implications for live animals and germinal products.**
- Although **Ireland is currently BTV free**, the virus could spread to Ireland through **import of infected animals, infected foetuses, germinal products** or **wind dispersal of infected midges** from infected areas.
- BTV is spread by infected **biting midges** (*Culicoides species*) which are present in Ireland and are generally most active between **April and November.**

- **As temperatures remain warmer throughout the summer and into the autumn months, the risk of bluetongue transmission during this time is higher.**
- It is critical that over the coming months, **all livestock farmers maintain vigilance** for any suspicions of bluetongue, and report any such suspicions to their local [Regional Veterinary Office \(RVO\)](#) without delay.

Situation in Europe

- BTV-3 is currently circulating widely in The Netherlands, France, Belgium, Germany, Luxembourg, Denmark, Switzerland, Italy, Sweden, Norway, Austria, Portugal and the Czech Republic.
- Other strains of the disease are also present in Southern Europe such as serotypes BTV-1, 4 and 8. A 'new' more virulent strain of BTV8 emerged in France in August 2023 which was confirmed in Sardinia in Italy in October 2023. Since June 2024, this strain has now been detected in Spain for the first time.

Further Information on bluetongue

- Sheep are more likely to show obvious and more severe clinical signs of bluetongue than cattle if they become infected, and mortality rates can reach 30- 70%. Some animals may not show any clinical signs however, and these animals can pose a risk for spreading the disease to new areas or countries.
- Bluetongue virus is spread by infected **biting midges** (*Culicoides species*) which are present in Ireland and are generally most active between **April and November**. Activity levels are dependent on average temperatures, so mild weather conditions may see midge activity persisting for longer.
- A wide range of **clinical signs** are associated with bluetongue, such as:
 - Fever
 - Inappetence (loss or lack of appetite)
 - Drop in milk yield
 - Reddening of the mucus membranes
 - Sores on the nose, gum and dental pads
 - Swelling of the face, lips and tongue (i.e. "Bluetongue")
 - Breathing difficulties if the tongue swells
 - Drooling
 - Discharge from the eyes and/or nose
 - Lameness
 - Abortion or deformities in offspring/foetus
 - In severe cases, death can result

Images of the clinical signs of bluetongue virus in sheep and cattle can be found [here](#)

- The incubation period of bluetongue virus is approximately 1-2 weeks, although it can vary.
- Once the virus enters the midge population, eradication becomes very difficult requiring very high vaccination uptake levels maintained over a period of several years.


- Due to the similarities/deformities that can result from *Schmallenberg virus* and bluetongue virus in offspring/ aborted fetuses, foetal carcasses submitted for post-mortem to Regional Veterinary Laboratories will be tested for BTV. There are no costs to farmers associated with this additional testing.

Key messages for livestock importers to prevent bluetongue entering Ireland

1. If you purchase livestock in a European country, there is a real risk that by the time you attempt to ship the animals to Ireland, that area may be affected by a bluetongue outbreak in the region and **the animals may not then meet the certification requirements for entry to Ireland.**
2. **The Department will not pay compensation** for any imported animals which subsequently test positive for bluetongue post-entry into Ireland, or for animals infected by bluetongue virus by imported germinal products.
3. If you must purchase live animals from outside Ireland, only do so during times when midges are less active (Dec – Mar).
4. Only purchase animals, germinal or biological products from reputable sources.
5. **The BTV-3 vaccine is not an authorised vaccines and is being used under emergency measures.** Animals vaccinated with the BTV-3 vaccines as part of emergency use do not currently meet the certification requirements and cannot be certified by EU member states to allow intra EU movement, including movement to Ireland.
6. Ensure the animals are BTV-free before they leave their country of origin by requesting a pre-movement PCR test for the virus. Although this can give a certain level of assurance, it is important to remember that animals may be harbouring the virus which is not yet detectable by laboratory testing, or they may become infected if bitten by an infected midge *en route*. All susceptible ruminants need to be tested after their arrival to Ireland even if they have had a negative pre-movement test.
7. Upon their arrival in Ireland, immediately isolate the animals indoors in a clean shed, away from the rest of the herd or flock, until all post-entry blood testing has been carried out and results have been received. Ensure that animals have access to clean dry bedding, feed and water and contact your vet without delay if any animals appear unwell.
8. Contact the local RVO immediately once the animals arrive to arrange for the required post-entry checks for diseases including bluetongue. All animals arriving from mainland Europe are to be visited by an RVO vet within 5 days of arrival into Ireland.
9. Post-entry testing requirements:
Two blood sampling are performed on each animal arriving in Ireland, as part of post-entry testing requirements by the RVO. The 1st blood sample is taken within 5 days of arrival to Ireland, and the 2nd sample is taken 10 days after the 1st sample. Any positive results will require immediate action to be taken with appropriate guidance provided by the National Disease Control Centre (NDCC).

Biosecurity advice for farmers importing livestock can be found [here](#)
Contact your [local RVO](#) for more information before deciding to import.

Figure 1 Watch a short video on 'How to keep Bluetongue out of Ireland' by clicking [here](#)



Further information on bluetongue

Please consult the following resources for further information on bluetongue virus:

- [Dept of Agriculture Food and the Marine website](#)
- [European Commission webpage on Bluetongue](#)
- [Bluetongue - WOA - World Organisation for Animal Health](#)

Please be alert and remain vigilant for signs of bluetongue if you are involved with ruminant and camelid species.

**National Disease Control Centre
30th September 2024**